



86 YACHT



PRINCIPAL CHARACTERISTICS

Classification

CE (Cat B) / MCA <24m

Length overall

26.30m, 86'3"

Beam

6.47m, 21'3"

Draft

1.95m, 6'5"

Displacement

67,000kg, 147,710lb

Fuel capacity

11,000 litres, 2,907 US gal.

Fresh water capacity

1,400 litres, 370 US gal.

Black water capacity

435 litres, 115 US gal.

Accommodation

Up to 8 guests & up to 4 crew members

Engine options

Up to 3,900PS

Performance

Up to 30 knots

Range @ 10 knots

Up to 1,000 nautical miles

Drives

Shafts

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP

Gel coat including stripes

Vinylester skin coat with powderbound mat

Stitched multi-axial reinforced single-skin bottom

Balsa-cored hull topsides

PVC foam-cored deck and superstructure

Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Flybridge Deck

Self-draining cockpit

Acrylic deflecting spray screen

Seating areas

Storage lockers under seating

Teak dining tables (natural finish)

Upholstered sunbathing area forward

Stainless steel aft safety rails

Glass holders

Wetbar unit

Sink in wetbar unit with hot and cold water supply

Icemaker in wetbar unit

Fridge in wetbar unit

Ceramic electric griddle in wetbar unit

Fire extinguisher

Deckwash outlet

Low-level flybridge lighting 24v

Radar arch structure

Radar chair with navigation light assembly

Overhead lighting on underside of radar arch 24v

Two pairs marine speakers

Flagstaff and socket

3 Flybridge Helm

Two helm seats

Hydraulic steering

Duplicate engine controls

Engine instrumentation

Autopilot repeater

Radar/chart plotter with GPS repeater

Depth and speed multi display

VHF second station

Remote spotlight control

Magnetic compass

Steering indicator

Trim tab control

Horn control

Control head for flybridge CD/radio

Waterproof plug and socket 12v

4 Deck

Fittings all in 316 stainless steel and chromed bronze

Pair stainless steel bow cleats and fairleads

Stainless steel spring cleats with chafing bars

Pair stern cleats and fairleads

Stainless steel pulpit and cockpit rails

Stainless steel fendering with rubber insert

Stainless steel bow roller with anchor stop and devil's claw

Single electric windlass (Lewmar V8) 24v, starboard side,

foredeck control only

Anchor 80kg (galvanised)

Anchor chain 100 metres/328 feet

(12mm diameter, galvanised)

Stainless steel bow plate

Deckwash with outlets forward and aft

Chain locker

Curved direct glazed safety glass windscreen

Pantograph windscreen wipers and washers

Fresh water filler

Fuel fillers port and starboard

IMCO navigation lights

Remote controlled spotlight at bow

Ensign staff and socket

Bow seating

Bow sunbathing pad

Glass holders

Storage lockers port and starboard

5 Aft Cockpit

Teak-laid cockpit floor

Self-draining

Stairs to flybridge with teak treads

Aft fixed bench seating

Teak table (natural finish)

Stern safety gates

Engine room access hatch

2 x stern capstan winches (Lewmar C4)

24v and fairleads

Overhead cockpit lights 24v

Low-level courtesy lights 24v

Pair marine speakers connected to saloon

AV system with Bose PMCIII remote

Wetbar unit

Fire extinguisher in wetbar locker

Coolbox in wetbar unit

Sink with hot and cold water supply

6 Bathing Platform

Teak-laid hydraulic lifting bathing platform

Stairs to aft cockpit with teak treads

Foldout stainless steel swimming ladder

Hot and cold hand-held swimming shower

Fresh water marina connection

Television and telephone marina connection

Access to crew quarters

Dockside AC connection 1 x 100 amp

Glendinning Cablemaster

Hydraulic telescopic gangway

7 Saloon and Dining

Stainless steel framed sliding door to aft cockpit

Sliding door curtains with tie backs

Sofa seating with storage in base

Two low-level stools

Coffee table

Scatter cushions

Flatscreen television 40"

DVD/CD/radio surround-sound system

with five speakers and sub-woofer

Air conditioning

Side windows with blinds

Drinks cabinet with glassware stowage for eight

8 x Champagne flutes, 8 x whisky tumblers, 1 x decanter

Overhead lighting LED 24v

Double AC sockets

Table lamps

Dining table

8 x freestanding dining chairs

Storage cupboards port and starboard

Fitted carpet

8 Galley

Large fridge/freezer

4-ring ceramic hob AC

Hob extractor AC

Convection oven with microwave function AC Full-size

dishwasher AC

Stainless steel sink

Hot and cold water

Rubbish bin Crockery set (8 place settings)

Cutlery set (8 place settings)

Storage cupboards and drawers

Bar unit with stools

Overhead lighting LED 24v

Double AC sockets

Air conditioning

Fire blanket

Fire extinguisher

First aid kit

9 Main Helm Console and Observation Area

2 x upholstered helm seats with

electric operation

Hydraulic power steering

Radar/chart plotter with GPS

Autopilot

Depth and speed displays

VHF radio dual station

Magnetic compass

Horn control

Switch panels

Remote spotlight control

Trim tab controls

12v socket

Engine instrumentation

Management monitoring for fresh water, black water

and fuel

Main control and monitoring panel (AC/DC) with

generators control

Windscreen wiper and washer controls

Glass holder

STANDARD SPECIFICATIONS... CONTINUED

Screen demister
Fire extinguisher
Manual side opening door to starboard side deck
Sofa seat on port side with table
Double AC socket for seating group
Double AC socket at console
Staircase forward leading to forward VIP cabin
Fitted carpet

10 Forward VIP Stateroom

Double berth
Foam mattress for berth
Storage beneath berth
Drawers in berth end
Bedside lights
Dressing table
Low back chair for dressing table
Air conditioning
Flatscreen television 32" on bulkhead
Blu-ray/DVD/CD/radio surround-system with two speakers and sub-woofer
Overhead lighting LED 24v
Large windows with blind on each side
Double AC sockets
Fitted carpet
Doors to en suite and walk-in wardrobe

11 Forward VIP Walk-in Wardrobe

Hanging rails
Shelves and drawers
Mirror
Overhead lighting LED 24v
AC socket
Fitted carpet
Door to stateroom

12 Forward VIP En Suite

Electric toilet 24v
Vanity top and flooring
Ceramic washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Air conditioning outlet
Extractor fan
Vanity mirror
Shelved cupboard
Overhead lighting LED 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Door to stateroom

13 Master Stateroom

Double berth
Foam mattress for berth
Storage and drawers beneath berth
Bedside storage cabinets

Bedside lights 24v
Dressing table
Low back chair for dressing table
Port side seats with table
Air conditioning
Overhead lighting LED 24v
Large windows with blind on each side
Double AC sockets
Flatscreen television 40" on bulkhead
Blu-ray/DVD/CD/radio surround-system with two speakers and sub-woofer
Fitted carpet
Doors to en suite and walk-in wardrobe

14 Master Walk-in Wardrobe

Hanging rails
Shelves and drawers
Mirror
Overhead lighting LED 24v
AC socket
Fitted carpet
Door to stateroom

15 Master En Suite

Electric toilet 24v
Vanity top and flooring
Ceramic washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Extractor fan
Air conditioning outlet
Mirror
Overhead lighting LED 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Door to stateroom

16 Starboard Guest Cabin

Two single berths
Foam mattresses for berths
Under-berth stowage
2 x reading lights 24v
Hanging wardrobe
Air conditioning
Overhead lighting LED 24v
Porthole with blind
Double AC socket
Flatscreen television 22"
Blu-ray/DVD/CD/radio player with two speakers
Fitted carpet
Doors to en suite and lobby

17 Starboard Guest En Suite/Day Head

Electric toilet 24v
Vanity top and flooring
Washbasin

Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic folding shower door
Extractor fan
Air conditioning outlet
Vanity unit
Mirror
Shelved cupboard
Overhead lighting LED 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Doors to guest cabin and lobby

18 Port Guest Cabin

Two single berths
Foam mattresses for berths
Under-berth stowage
2 x reading lights 24v
Hanging wardrobe
Air conditioning
Overhead lighting LED 24v
Porthole with blind
Double AC socket
Flatscreen television 22"
Blu-ray/DVD/CD/radio player with two speakers
Fitted carpet
Doors to en suite and lobby

19 Port Guest En Suite

Electric toilet 24v
Vanity top and flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic folding shower door
Extractor fan
Air conditioning outlet
Vanity unit
Shelved cupboard
Overhead lighting LED 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Door to guest cabin

20 Stern Crew Lobby

Access door from stern
Storage
Washer/dryer
Air conditioning
AC socket
Overhead lighting LED 24v
Doors to crew cabins and crew toilet/shower

21 Port Aft Crew Cabin

Single berth
Foam mattresses for berths
Reading lights 24v
Air conditioning
Overhead lighting LED 24v
Double AC socket
Fitted carpet
Opening porthole with mosquito screen and curtains
Door to crew lobby

22 Port Forward Crew Cabin*

Single berth
Foam mattresses for berths
Reading lights 24v
Air conditioning
Overhead lighting LED 24v
Double AC socket
Fitted carpet
Opening porthole with mosquito screen and curtains
Door to crew lobby
*subject to optional tender garage option

23 Crew Toilet/Shower

Tecma toilet 24v
Washbasin
Shower cubicle with bi-fold shower door
Mirror
Vanity unit
Overhead lighting LED 24v
Shaver socket 240/110v
Doors to crew lobby and engine room

24 Engine Compartment and Ancillaries

Soundproofing throughout
Fuel filters/water separators to engines
Fuel filters/water separators to generators
Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Automatic bilge and flood pumps with high-level alarms
Air extraction fans (230v) fitted with butterfly shutdown dampers
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water inlets
Exhaust gas temperature sensor
Power steering – hydraulic control steering (engine driven)
Lifting platform and trim tabs hydraulic control unit
Air intakes fitted with emergency shutdown flaps (automatically operated)

STANDARD SPECIFICATIONS... CONTINUED

25 Electrical System

Euro spec only: 2 x 28kW @ 50Hz slow speed Kohler generators with underwater silent exhaust and sound box

US spec only: 2 x 28kW @ 60Hz slow speed Kohler generators with underwater silent exhaust and sound box

Dockside AC connection 1 x 100 amp

Glendinning Cablemaster

Isolation transformer

Semi-automatic AC power management system

24v and 12v DC electrical system with full circuit

breaker protection

8 x engine batteries 24v circuit

6 x domestic batteries 24v circuit

Alternator split-charging system

Remote battery switches controlled from aft cockpit locker

1 x 100 amp battery charger for 24v circuits

Immersion heater for calorifier

AC sockets throughout the boat

24v hand light and cable

Fire detection system with sensors in all cabins and monitoring beside main helm position

26 Underwater Gear

NAB 5-blade propellers

Bronze (MB2) P-brackets

75mm Temet 25 propeller shafts

Self-aligning shaft seal with spare seal

High-performance bronze rudders

Valves to all underwater skin fittings

Full cathodic bonding system to zinc anodes

Stainless steel trim tabs

Hydraulic bow thruster

Hydraulic stern thruster

Antifouling

27 Systems

Hydraulic power steering

Electric toilet system with two-switch control

Toilets discharging overboard or to black water tank

Black water tank discharging to dockside or overboard through discharge/macerator pump (24v)

Aluminium fresh water tank with electric sending unit

Integral GRP fuel tank with electric sending unit

Water pressure system (230v)

Hot water tank, 200 litre (with 2 x 2kW immersion heaters)

Hot water circulating pump (230v)

Washbasins, showers and air conditioning fan coils to drain to grey water tank

Grey water tank discharging overboard through discharge pump (24v)

Chilled water air conditioning system (reverse cycle), (230v)

Bilge pumping system (230v)

Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown

Auxiliary hydraulics for trim tabs and platform (24v)

28 Miscellaneous

Retractable boat hook

6 x docking lines (6 x 15 metre, 20mm diameter, black)

1 x tender line (1 x 10 metre, 10mm diameter, black)

8 x fenders (F7, 15" x 41", white)

8 x fender ties (8 x 3.5 metre, 10mm diameter, black)

Flagstaff with line

Pennant mast with pennant flag

Mosquito screens for openable portlights

Vacuum cleaner

Spare bulbs

Small toolkit

8 x towel sets

First aid kit

Fire blanket

Leather cleaning kit

Lead lamp

Deckwash fitting and hose reel

Portable fire extinguishers

29 Covers

Windscreen sun screen

Flybridge instrument cover

Aft cockpit camper cover with windows

Optional Extras

Sliding doors and bulwark balcony (starboard side)

Upper deck day head

Tender garage arrangement

Flybridge crane

Disclaimer

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.