



MANHATTAN 66

YACHTS ROYAL



PRINCIPAL CHARACTERISTICS

Classification

CE

Length overall – (incl. pulpit and transom platform)
20.81m, 68'3"

Beam – (maximum)
5.26m, 17'3"

Draft – IPS drive (@ full load incl. props)
1.8m, 5'11"

Draft – shaft drive (@ full load incl. props)
1.59m, 5' 3"

Displacement – IPS drive (@ half load)
38,500kg, 84,854lb

Displacement – shaft drive (@ half load)
37,400kg, 82,453lb

Fuel capacity
4,000 litres, 1,057 US gal.

Fresh water capacity
900 litres, 238 US gal.

Black water capacity
185 litres, 49 US gal.

Accommodation

Up to 8 guests & up to 2 crew members

Propulsion

Twin fixed-pitch propellers or IPS Pod drives

Engine options

Up to 2,400PS

Generators – standard

1 x 17.5kW @ 50Hz 230v single phase (Euro)
1 x 21.5kW @ 60Hz 240/120v single phase (US)

Maximum speed

Up to 32 knots

Cruising speed

24 knots

Range @ 10 knots

Up to 300 nautical miles*

Drives

Shafts or Pods

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP

Gel coat including stripes

Isophthalic polyester skin coat with

powderbound mat

Stitched multi-axial reinforced single-skin bottom

Balsa-cored hull topsides and deck

Hull stiffened with longitudinal stringers

supported by transverse bulkheads and floors

Antifouling

2 Deck

Fittings all in stainless steel

8 deck cleats in stainless steel

Delta anchor and 60m chain (galvanised)

Electric winch and capstan 24v with deck and

cockpit controls 24v

Stemhead roller and anchor stop

Self-draining chain locker-fender stowage

Pulpit and cockpit rails in stainless steel

Stainless steel fendering with rubber insert

IMCO navigation lights

3 pantograph wipers 24v, windscreen washers

Ensign staff and socket

6 fenders and 4 warps

Remote spotlight 24v

Curved safety glass windscreen

3 Bathing Platform

Fresh water marina connection

Dockside AC shore power connection

Hot and cold swimming shower

Teak-laid bathing platform

Foldaway stainless steel swimming ladder

Hydraulic lifting platform

4 Aft Cockpit

Self-draining

Stainless steel staircase to flybridge

Transom storage locker

Upholstered seating

Transom safety gates

Engine room access hatch

Overhead lighting 24v

Low-level courtesy lighting 24v

Two external marine speakers

Teak-laid cockpit and steps

Boat hook

Hand-held fire extinguisher

5 Flybridge and Helm Position

Self-draining

Deflecting front screen

Hydraulic steering

Chrome steering wheel

Duplicate engine controls and instrumentation

Compass

Trim tab control

Electric speed and depth sounder

Bow thruster control

Autopilot and GPS navigator controls

VHF radio second station

12v socket

Instrument cover

Upholstered seating

Storage below seats

Teak Cockpit table

Sunbathing area forward

Wet bar with sink, hot, and cold water supply

Ice maker

Stainless steel guard rails and grab rails

Glass holders

Radio CD remote control

Two external marine speakers

Low-level courtesy lights

6 Saloon

Saloon seating port and starboard

Dining table

Stainless steel sliding cockpit door to aft deck

Television 40"

DVD/Blu-ray

Radio/CD for external speakers

Overhead lighting 24v

2 x double AC sockets

Choice of lacquered interior finishes and veneer

Scatter cushions

Fitted carpet

7 Galley

Sink and drainer

Hot and cold water

Electric refrigerator/freezer

Ceramic hob

Hob extractor fan

Microwave combination oven

Rubbish bin

8 place crockery set

8 place cutlery set

Cupboard and drawer storage

Drinks cabinet

2 x double AC sockets

Overhead lighting 24v

Hand-held fire extinguisher

First aid kit

8 Main Helm Console

Twin Leather helm seats

Hydraulic steering

Leather rimmed chrome steering wheel

Radar/Chart Plotter

Autopilot

VHF radio

Analogue and digital engine instrumentation

Electric speed and depth sounder

Rudder indicator

Compass

Bow thruster control

Horn

Windscreen wipers and washers

Trim tab controls

Cigar lighter 12v

Main switch panel (AC/DC) with circuit breaker protection

Opening helm side door

Glass holders

Hand-held fire extinguisher

9 Master Aft Stateroom

Double berth

2 x reading lights 24v

Bedside and outboard cupboards

Outboard seats and table

Dressing table and stool

Overhead lighting 24v

Panoramic side windows with opening portholes and blinds

2 x double AC sockets

Television 40"

Fitted carpet

Walk-in hanging wardrobe with mirror

Door to en suite toilet/shower

10 Master En Suite

Electric toilet

Mirrored vanity unit

Washbasin and tap

Hot and cold water

Soap dispenser

Toothbrush and glass holder

Towel ring, towel rail and towels

Separate shower compartment

Extractor fan

Overhead lighting 24v

Opening porthole with mosquito screen and blind

Shaver socket 240/110v

11 VIP Forward Stateroom

Double berth

Drawers and storage beneath

Wardrobe

Dressing table and stool

Overhead lighting 24v

2 x reading lights 24v

2 x opening portholes with mosquito screens and blinds

Deck hatch with screen

Two double 240v AC sockets

Television 32"

Fitted carpet

Door to en suite toilet/shower

STANDARD
SPECIFICATIONS... CONTINUED

12 Forward En Suite

Electric toilet
Mirrored vanity unit
Washbasin and tap
Hot and cold water
Soap dispenser
Toothbrush and glass holder
Towel ring, towel rail and towels
Separate shower compartment
Extractor fan
Overhead lighting 24v
Opening porthole with mosquito screen and blind
Shaver socket 240/110v

13 Port Guest Cabin

2 single berths
Bedside table with drawer
2 x reading lights
Under-berth stowage
Full hanging mirrored wardrobe
Overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC socket
Door to en suite shower room
Television 22"
Fitted carpet
Door to en suite toilet/shower

14 Starboard Guest Cabin

2 single berths
Bedside table with drawer
2 x reading lights
Under-berth stowage
Full hanging mirrored wardrobe
Overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC socket
Door to en suite shower room
Television 22"
Fitted carpet
Door to en suite toilet/shower

15 Starboard Guest En Suite/Day Head

Electric toilet
Mirrored vanity unit
Washbasin and tap
Hot and cold water
Soap dispenser
Toothbrush and glass holder
Towel ring, towel rail and towels
Separate shower compartment
Extractor fan
Overhead lighting 24v
Opening porthole with mosquito screen and blind
Shaver socket 240/110v

16 Engine Compartment and Ancillaries

Soundproofing throughout
Aluminium fuel tanks with electric sender unit
Fuel filters/water separators to engines
Fuel filters/water separator to generator
Manual bilge/Automatic flood pumps with high-level alarms
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water inlets
Power steering – hydraulic control steering
Lifting platform and trim tabs hydraulic control unit
Air intakes fitted with emergency shutdown flaps (automatically operated)
Air distribution fans (DC)
Air extraction fans (DC) fitted with 7 shutdown dampers
Exhaust gas temperature sensor
Engine room fire extinguishing system (FM200)

17 Electrical System

Generator with underwater silent exhaust
AC dockside connection
Main DC and AC electrical circuits protected by re-settable circuit breakers
Galvanic isolator
4 batteries for engine starting 24v circuit
6 batteries for domestic power 24v circuit
Battery coupling system
Battery switches controlled from locker in cockpit
Alternator split charging system
Battery charger for 24v circuits
Water heater
Overhead lighting 24v
AC electrical outlet sockets throughout the boat

18 Underwater Gear

Bow thruster – electric 24v
Seawater strainers – nickel plated bronze
Full cathodic bonding system to aluminium anodes
Hydraulic trim tabs – stainless steel
Propeller shafts – Temet 25
High performance rudders – AB2
P-brackets – NAB nickel aluminium bronze c/w water lubricated bearing
Self-aligning shaft seal including spare seal
5-blade AB2 bronze propellers

19 Systems

Hydraulic power steering
Electric toilet system with integral macerator (24v)
Toilets discharging overboard or to black water tank
Black water tank discharging to dockside or overboard
Aluminium fresh water tank with electric sending unit
Aluminium fuel tank with electric sending unit
Water pressure system (24v)
Hot water tank with immersion heater (AC)
Washbasins, showers and air conditioning units drain to sump box

Sump box automatically discharging overboard
Air conditioning system (reverse cycle) AC
Bilge pumping system (24v)
Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Auxiliary hydraulics for trim tabs (24v)

20 Miscellaneous

Toolkit
Boat hook
Mooring ropes x 4
Fenders x 6
Spare bulbs and fuses
4 x towel sets

Optional Extras

Bimini top or Hard top
Crew cabin aft with separate toilet
Teak flybridge decking
Teak side decking
Hydraulic passerelle
Washer/dryer
Lower galley option
Fin stabiliser
Foredeck and cockpit tables
Cockpit bar and stool



YACHTS ROYAL

Disclaimer

Whilst every attempt has been made to provide accurate information, the information in this brochure is not intended to be and should not be relied upon as providing any warranty, representation, guarantee, or offer. Performance and range figures are estimates to be used as an indicative guide only. Dirt or marine growth on the hull, size of boat, engine choice and tuning, propeller condition and pitch, air and water temperature, fuel weight and quality, water weight, stores, number of people on board and other factors can each affect a boat's performance and range. The photographs and artist's impressions in this brochure are from existing models in the Sunseeker range. There may be items shown in these photographs and impressions that are not included in the standard inventory of the models shown. Specifications, measurements and certain other details contained in this brochure may relate to models only for sale in a particular territory. We cannot guarantee that the entire Sunseeker range will be available in every territory. Specifications for models sold in different territories may also vary. Specifications may be changed or models withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the order process and confirmed in the sales contract between the purchaser and the approved Sunseeker distributor or dealer for the relevant territory. Please contact the local Sunseeker distributor or dealer in the territory which is of interest to you, to enquire as to the models and options that are likely to be available in that territory. This brochure is created and published in the United Kingdom and made available to authorised distributors and dealers of new Sunseeker manufactured motoryachts outside of the United States of America and Canada. In the United States of America and Canada, Sunseeker USA Sales Co, Inc. is the issuer of this brochure and is responsible for its content. All distributors or dealers of new Sunseeker manufactured motoryachts are independently owned and controlled businesses. They are not subsidiaries of, nor agents for Sunseeker International Limited, Sunseeker USA Sales Co, Inc. or any of their respective parent, subsidiary or affiliated companies ("Sunseeker Group"). As such, no distributor or dealer has any authority to bind or obligate any Sunseeker Group company in any way.